



Certificate number: 2405712 (1)

Issued 14/05/2024

Expires N/A 1+

Kiwa Type 2 Thermostatic Mixing Valve and KUKreg4 Certification

Evaluation Guideline - Kiwa UK – EG001 – Thermostatic mixing valves

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)

Model number(s) – see Appendix

Triton Showers

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

EN 1111 : 2017 Type 2 Thermostatic mixing valves (high pressure) *

Regulation 4(1)(a) of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

* Excluding clauses 7.1 b), 10 and 17 ** Excluding clause 10.

See <https://www.kiwa.com/gb/en/products/tmv-testing/> or the QR code below to ensure that the certificate is still valid.

CERTIFICATE

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk

Certificate Issued to:

Triton Showers
Triton Road
Nuneaton,
Warwickshire
CV11 4NR



Product Certificate

Appendix to Certificate number: 2405712

The following products belong to this certificate

Reference:	S2404109 & 2405712
Product description:	Wall mounted bath shower mixing valve with self-cancelling diverter and ¼ turn ceramic headworks.
Models:	86005120 Bath/shower exposed thermostatic mixer with ceramic headwork
Size:	¾ BSP female swivel unions.
Designation of Use:	HP-S-T
Marking:	Hot and cold inlets marked with red and blue dots. Front of the valve body laser etched Triton; rear of the valve body laser etched 86005120 YO2
Materials:	Non-metallic materials assessed (BS 6920) to point of discharge (valve only).
Backflow protection notes:	Inlets fitted with SCV.
Additional notes:	Inlets fitted with strainers.